



TAMPA AREA SAFETY COUNCIL

\* Host University of South Florida OSHA Training Institute Education Center.\*

# JULY 2010 EVENTS

## OCCUPATIONAL SAFETY

### Forklift Safety Training

July 15: 9:00 am - 12 Noon

### Narrow Aisle Lift Truck Safety Training

Given upon request

Call Patty for information on our

Rough Terrain Course

### First Aid/CPR

July 22: 9:00 am - 4:30 pm



## PLAN TO ATTEND THE FOLLOWING!

July 8 OTI 9001 - Steel Erection

July 8 - OSHA 10 Hr Construction

July 9 - OTI - Scaffolding Qualified Person

July 15 - Forklift Safety Training

July 16 - MOT Intermediate Refresher

July 19 - 22 - OTI 500-Trainer Course - Construction

July 22 - Adult First Aid/CPR/AED

July 26-29 - OTI 5400 Maritime Train the Trainer

July 27 - ASM - Behavior Based Safety

July 29 & 30 - MOT Intermediate Training

### COMING IN AUGUST.....

August 5 - OSHA 10 Hour General Industry

August 9 - 12 - OTI 521 - Guide to Industrial Hygiene

August 12 - FA/CPR/AED

August 13 - MOT Intermediate Refresher

August 19 - Forklift Safety Training

August 24 - ASM - Occupational Health

August 26 & 27 - MOT Intermediate Training

August 30 - OTI 7510 - Intro. OSHA for Small Businesses

OTI 7845 - Recordkeeping Rules

August 31 - OTI 7205 - Health Hazard Awareness

Watch for details.....

**IMPORTANT— PRE-REGISTRATION IS REQUIRED FOR ALL CLASSES & SEMINARS.**

The Tampa Area Safety Council will be closed on


Monday, July 5th,

in observance

of Independence Day on

July 4th.

**HAVE A SAFE & HAPPY HOLIDAY!!!**



Call Patty at 813 or 800 248-1567 if your Company has any **on-site training needs, OR** Check our website: [www.tampasafetycouncil.org](http://www.tampasafetycouncil.org) for information and registration for all of our classes.

Questions? Email us at

**TASCPatty@aol.com OR TASCJudy@aol.com**

## \* HANDLING HOT WEATHER \*

HEAT EXHAUSTION is a serious illness. Its symptoms include heavy sweating, headache, dizziness, weakness, nausea and vomiting. Treat by:

- Moving the victim to a cool place and removing excess clothing.
- Allowing the victim to rest with feet slightly raised providing cool, lightly salted water or electrolyte replacement drinks if the victim is conscious.
- Sponging the victim with cool water and fanning him or her.
- Seeking medical help if there is no improvement within 30 minutes.

